

# SAFETY DATA SHEET

DRICORE® Insul-Armor™ Subfloor | Revision Date 04/13/2022

2311 Royal Windsor Drive Unit 2  
Mississauga, Ontario, Canada L5J 1K5  
P: +1 866 767 6374  
E: info@dricore.com

01

## 01: PRODUCT & COMPANY IDENTIFICATION

Product Name: DRICORE® Insul-Armor™ Subfloor  
Common Name: EPS Foam  
Company Address: 2311 Royal Windsor Drive Unit 2  
Mississauga, Ontario, Canada L5J 1K5  
P: +1 866 767 6374  
E: info@dricore.com

## 02: HAZARDS IDENTIFICATION

GHS Classification: Non-hazardous as per GHS  
GHS Label Elements: None  
Signal Word: Not hazardous  
Hazard Statements: Fumes from heated cutting tools may cause respiratory irritation  
May cause slight skin irritation  
Dust may cause eye irritation  
Dust may cause respiratory irritation

### Precautionary Statements:

Prevention: Wear NIOSH approved respiratory protection and eye protection when sawing and sanding.  
Keep away from open flames / hot surfaces / heat / sparks

Response: IF DUST IS IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Should cease after removal of the product.  
IF DUST IS INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
In case of fire: use dry chemical, foam, carbon dioxide, or water fog or spray

## 03: COMPOSITION / INFORMATION ON INGREDIENTS

CAS Number	Content	Chemical Name
9003-53-6	98-99%	Polystyrene
109-66-0	<1.5%	n-Pentane*
78-78-4	<0.5%	Isopentane*
1195978-93-8	0-1%	Brominated Polymer

\*Note: n-Pentane and isopentane are residual blowing agents and not intended to be part of the product. Residual pentane rapidly decreases with age.

## 04: FIRST AID MEASURES

Eyes: If dust or particles become lodged in eyes, rinse with clean water. Obtain medical attention if condition is painful.

Skin: Contact is not expected to present a skin hazard. Wash exposed areas with mild soap and water. Consult physician if irritation persists.

Ingestion: Product is not expected to present significant ingestion hazard. If it does occur, watch the person for several days to make sure obstruction does not occur. Do not induce vomiting unless directed to by physician.

Inhalation: Move affected individual to non-contaminated air. Loosen tight clothing such as a collar, tie, belt or waistband to facilitate breathing. Seek immediate medical attention if the individual is not breathing, is unconscious or if any other symptoms persist.

## 05: FIRE FIGHTING MEASURES

Suitable extinguishing media:

Water Fog  
Foam  
Dry Chemical  
ABC type Extinguisher



1-866-767-6374 | [www.dricore.com](http://www.dricore.com)

# SAFETY DATA SHEET

DRICORE® Insul-Armor™ Subfloor | Revision Date 04/13/2022

2311 Royal Windsor Drive Unit 2  
Mississauga, Ontario, Canada L5J 1K5  
P: +1 866 767 6374  
E: info@dricore.com

02

Specific Protective Equipment and Precautions for Fire-Fighters : (turn out gear) in a	Fire fighters should wear self-contained breathing apparatus (SCBA) and personal protective clothing sustained fire.
Hazardous Combustion products:	Styrene, oxides of carbon, and other toxic gases at elevated temperatures.
Conditions of Flammability: flames or other	Pentane vapours may be emitted from freshly produced foam. Vapours can be ignited by heat, sparks, sources of ignition.
Flash Point:	> 345 °C / 653 °F
Upper Explosive Limit:	N/A
Lower Explosive Limit:	N/A
Auto-ignition Temperature:	440 °C / 824 °F

**"NO SMOKING - NO MATCHES - NO LIGHTERS - NO WELDING"**  
Rules should be enforced.

## 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:	Good housekeeping practices should be observed. Material can be swept or picked up and placed in a suitable container for disposal.
Environmental Precautions:	Small pieces, particles and dust can be blown by the wind and enter storm water systems and waterways. Although the product is not hazardous excess product can result in impairment of storm water systems and waterways. Prevent loss of material to the local environment through good housekeeping practices.
Methods and Materials for Containment and Cleaning up:	Good housekeeping practices should be observed. Material can be swept or picked up and placed in a suitable container for disposal.

## 07: HANDLING AND STORAGE

Precautions for safe handling:	Avoid all sources of ignition, do not smoke in areas where product is being stored or used. Product will dissolve in hydrocarbons, esters, aldehydes and amines. Avoid contact with these materials.
Conditions for safe storage:	Store product away from open flame and other ignition sources. Store material in a dry place out of direct sunlight when possible. Have appropriate extinguishing capability in storage area(s) (e.g. sprinkler system, portable fire extinguishers)

## 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters:

Chemical Name	ACGIH TLV	
	TWA	STEL
n-Pentane	600 ppm	750 ppm
Isopentane	600 ppm	750 ppm
Polystyrene	Not Applicable	Not Applicable

Appropriate Engineering Controls:	Provide sufficient general and/or local exhaust ventilation to maintain exposure below permissible personal exposure limit (PEL) or threshold limit value (TLV) for combustion products from heated cutting tools. Use local exhaust, where possible, in confined or enclosed spaces. Wear approved safety glasses/goggles and dust mask if mechanical fabrication is to take place.
-----------------------------------	--

Individual Protection Measures:

Respiratory Protection:	None needed under normal handling conditions. Use approved dust mask when sawing or sanding. Use approved NIOSH respirator when the PEL or TLV for combustion products from heated cutting tools, sawing or sanding may be exceeded.
Skin Protection:	None needed under normal handling conditions. Wear gloves and/or sleeves, if sensitivity noted.
Eye Protection:	None needed under normal handling conditions. Uses approved safety glasses/goggles when sawing or sanding.



1-866-767-6374 | [www.dricore.com](http://www.dricore.com)

# SAFETY DATA SHEET

DRICORE® Insul-Armor™ Subfloor | Revision Date 04/13/2022

2311 Royal Windsor Drive Unit 2  
Mississauga, Ontario, Canada L5J 1K5  
P: +1 866 767 6374  
E: info@dricore.com

03

## 09: PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Rigid cellular foam blocks, boards and shapes
Odor:	Very slight hydrocarbon odour
Odor threshold:	N/A
pH:	N/A
Melting Point:	Softening begins at temperature > 85 °C (185 °F)
Boiling Point:	N/A (decomposes)
Flash Point:	> 345 °C / 653 °F (ASTM D1929)
Evaporation Rate:	N/A
VOL:	< 1%
Upper/Lower Flammability or Explosive Limit:	N/A
Vapor Pressure:	N/A
Vapor Density:	(air = 1) N/A
Specific Gravity:	< 1
Solubility:	Insoluble in water. Soluble in hydrocarbons, esters, aldehydes and amines
Partition Coefficient, n-Octanol/Water (log Kow):	N/A
Auto-Ignition Temperature:	440 °C / 824 °F
Decomposition Temperature:	> 300 °C / 572 °F
Viscosity:	N/A
Other information:	N/A
Physical State:	Solid

## 10: STABILITY AND REACTIVITY

Product Reactivity:	Not reactive
Chemical Stability:	Normally stable
Possibility of Hazardous Reactions:	None expected
Conditions to Avoid:	Open flames, sparks, heat and other ignition sources
Incompatible Materials:	Product will dissolve in hydrocarbons, esters, aldehydes and amines (organic solvents). Hazardous Decomposition Styrene, oxides of carbon, and other toxic gases at elevated temperatures

## 11: TOXICOLOGICAL INFORMATION

### Acute Toxicity:

General Product Information: This product has not been tested. Exposure to high levels of dusts may be irritating to the eyes. Skin/eye contact with molten or heated material may cause burns. Vapors/heated fumes may be irritating to the respiratory system.

Component Analysis – LD50/LC50 Pentane (109-66-0) Inhalation LC50 Rat 364 g/m<sup>3</sup> 4 h; Dermal LD50 Rabbit 3000 mg/kg; Oral LD50 Rat >2000 mg/kg

### Potential Health Effects:

Skin Corrosion Property/Stimulativeness: None anticipated under normal product handling conditions  
Eye Critical Damage/Stimulativeness: None anticipated under normal product handling conditions  
Ingestion: Not considered a likely route of exposure under normal product handling conditions.  
Inhalation: Dust from this product may cause irritation to the respiratory system. Overexposure may be harmful  
Respiratory Organs  
Sensitization/Skin Sensitization: This product is not reported to have skin sensitization effects.  
Generative Cell Mutagenicity: This product is not reported to have mutagenic effects.

### Carcinogenicity

General Product Information: This product is not reported to have carcinogenic effects.  
Component Carcinogenicity: Polystyrene (9003-53-6)  
IARC: Supplement 7 [1987]; Monograph 19 [1979] (Group 3 (not classifiable))

Reproductive Toxicity: This product is not reported to have reproductive toxicity effects.

### Specified Target Organ General Toxicity:

Single Exposure: Dust may cause respiratory irritation.  
Repeated Exposure: This product is not reported to have any repeat exposure target organ toxicity effects.

Aspiration Respiratory Organs Hazard: This product is not reported to have any aspiration hazard effects.



1-866-767-6374 | www.dricore.com

# SAFETY DATA SHEET

DRICORE® Insul-Armor™ Subfloor | Revision Date 04/13/2022

2311 Royal Windsor Drive Unit 2  
Mississauga, Ontario, Canada L5J 1K5  
P: +1 866 767 6374  
E: info@dricore.com

03

## 12: ECOLOGICAL INFORMATION

### Ecotoxicity

#### General Product Information:

The information below is based on knowledge of the components and the ecotoxicity of similar products. Sewer/waterway obstruction: marine life may ingest beads, which may obstruct their digestive tract. Product is expected to be non-toxic, but small particles may have physical effects on aquatic and terrestrial organisms.

### Component Analysis – Ecotoxicity – Aquatic Toxicity

#### Pentane (109-66-0)

#### Test & Species

96 Hr LC50 Oncorhynchus mykiss  
96 Hr LC50 Pimephales promelas  
96 Hr LC50 Lepomis macrochirus

#### Conditions

9.87 mg/L  
11.59 mg/L  
9.74 mg/L

#### Persistence/Degradability:

This product has not been tested. Expected to be inherently non-biodegradable. Integrated environmental half-life expected to be > or = 100 days. Do not allow product to enter sewer or waterways.

#### Bioaccumulation:

This product has not been tested. It is considered to have little potential for bioaccumulation or food chain concentration.

#### Mobility in Soil:

No information available for this product.

## 13: DISPOSAL CONSIDERATIONS

#### General Product Information:

Material, if discarded, is not expected to be a characteristic hazardous waste.

#### Disposal Instructions:

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations

## 14: TRANSPORT INFORMATION

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

## 15: REGULATORY INFORMATION

All ingredients and components for this product are on the Domestic Substances List (DSL).

The product is classified as WHMIS as non-hazardous.

This product has been classified according to the GHS hazard criteria and the SDS contains all of the information required by the GHS.

## 16: OTHER INFORMATION

#### SDS prepared by:

AGT PRODUCTS INC.  
2311 Royal Windsor Drive  
Mississauga, Ontario, L7R 0C2  
Canada

#### Preparation Date:

April 13, 2022

#### Updated:

April 13, 2022

#### Other Information:

The information contained herein is, to the best of our knowledge and belief, accurate and current as of the date of this MSDS. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representation or warranties, either expressed or implied, as to its correctness or completeness, or as of merchantability, fitness for a particular purpose, or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers or as to the results or reliance of this product. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

END OF MSDS DOCUMENT



1-866-767-6374 | [www.dricore.com](http://www.dricore.com)